

Safed Musli (*Chlorophytum Borivillianum*) as a Natural Modulator of Testosterone: A Phytotherapeutic Approach to Male Sexual Health

Tasawar Iqbal

Institute of Physiology and Pharmacology, University of Agriculture, 38000 Faisalabad, Pakistan

Abstract: *Chlorophytum borivillianum*, commonly known as Safed Musli, is a well-known herb in traditional medicine, particularly in Ayurveda, recognized for its adaptogenic and rejuvenating properties. It has gained attention as a natural modulator of testosterone, offering potential benefits in managing male sexual health. This review explores the phytochemical profile, mechanisms of action, and clinical relevance of Safed Musli in enhancing male sexual function, fertility, and testosterone levels. The major bioactive compounds in Safed Musli, including saponins, alkaloids, and polysaccharides, contribute to its effects on the hypothalamic-pituitary-gonadal (HPG) axis, Leydig cell stimulation, and steroidogenesis. Animal studies and clinical trials have demonstrated its ability to improve sperm quality, increase libido, and elevate serum testosterone levels while offering antioxidant and anti-inflammatory benefits. Despite promising results, current clinical studies are limited by small sample sizes, short durations, and a lack of standardized formulations. Future research should focus on large-scale, randomized clinical trials, standardized extract preparations, and molecular investigations to validate the mechanisms underlying its effects. Moreover, the integration of Safed Musli into conventional therapeutic protocols for male sexual dysfunction could provide a sustainable, natural alternative to synthetic testosterone boosters. In conclusion, Safed Musli offers significant potential as a Phytotherapeutic agent for male reproductive health, warranting further investigation and clinical validation.

Key words: Safed Musli, *Chlorophytum borivillianum*, testosterone modulation, male sexual health, phytotherapy, saponins.

1. Introduction

1.1 Overview of Male Sexual Health Issues and Testosterone Deficiency

Male sexual health plays a vital role in the overall well-being and quality of life of men. One of the primary physiological factors influencing male sexual function is testosterone, a steroid hormone that regulates libido, spermatogenesis, muscle mass, and mood. Testosterone deficiency, also known as hypogonadism, is a prevalent condition, particularly among aging men. Symptoms may include decreased libido, erectile dysfunction, reduced energy levels, loss of muscle mass, and infertility [1]. The World Health Organization (WHO) has reported a growing

incidence of reproductive health issues in men, partly due to sedentary lifestyles, environmental toxins, stress, and chronic diseases. Traditional pharmacological interventions such as testosterone replacement therapy (TRT) may offer benefits but are often associated with risks like cardiovascular complications, prostate abnormalities, and hormonal imbalances, highlighting the need for safer, natural alternatives [2].

1.2 Importance of Natural and Phytotherapeutic Approaches

Phytotherapy, the use of plant-derived compounds for medicinal purposes, has gained considerable attention as a complementary or alternative approach to managing sexual and reproductive health disorders. Herbal remedies have been historically used in various traditional systems of medicine, such as Ayurveda, Unani, and Traditional Chinese Medicine, for treating

Corresponding author: Tasawar Iqbal, Ph.D. (Pharmacology), research fields: pharmacology, rheumatoid arthritis, nanoparticles.

male infertility, sexual dysfunction, and hormonal imbalance. Compared to synthetic drugs, phytotherapeutics are often considered safer, more accessible, and cost-effective, with fewer side effects when used appropriately [3]. The therapeutic potential of plant bioactives lies in their ability to modulate physiological pathways, enhance hormonal synthesis, and improve overall reproductive function. Therefore, investigating herbal candidates with androgenic potential is critical in developing integrative approaches for male sexual health.

1.3 Rationale for Choosing Chlorophytum Borivillianum (Safed Musli)

Chlorophytum borivillianum, commonly known as Safed Musli, is an herbaceous plant native to India and renowned in Ayurveda as a potent aphrodisiac and adaptogenic. The plant's roots are rich in bioactive compounds, including saponins, alkaloids, polysaccharides, and flavonoids, which contribute to its therapeutic properties [4]. Safed Musli has been traditionally used to enhance sexual vigor, stamina, and fertility in men. Several preclinical studies have demonstrated that Safed Musli can significantly increase serum testosterone levels, improve sperm count and motility, and exhibit antioxidant and anti-stress effects, making it a promising natural agent for addressing testosterone deficiency [5]. Its adaptogenic properties further help the body to cope with physical and psychological stress factors that can indirectly impact testosterone production and sexual performance.

1.4 Objectives and Scope of the Review

This review aims to evaluate the role of *Chlorophytum borivillianum* as a natural modulator of testosterone and its implications for improving male sexual health. The primary objectives include exploring the pharmacological profile of Safed Musli, analyzing the mechanisms through which it influences androgen levels, and reviewing the scientific evidence from in vitro, in vivo, and clinical studies supporting

its efficacy and safety. The scope also includes identifying knowledge gaps and potential areas for future research, particularly concerning standardized extracts, dosage regimens, and long-term effects. By providing a comprehensive overview, this review seeks to support the inclusion of Safed Musli in phytotherapeutic strategies for managing male sexual dysfunction and hormonal disorders.

2. Botanical Description and Ethnopharmacology of Safed Musli

2.1 Taxonomy and Botanical Characteristics

Chlorophytum borivillianum, commonly known as Safed Musli, belongs to the family Asparagaceae. It is a small perennial herb with a tuberous root system, native to the Indian subcontinent. The plant typically grows up to 30-45 cm in height and features linear, lanceolate leaves that are 20-40 cm long. Safed Musli flowers are white, star-shaped, and arranged in racemose inflorescences, blooming primarily during the monsoon season. The roots are cylindrical, fleshy, and whitish; these are the primary medicinal parts of the plant and are harvested for their phytochemical richness. Rich in steroidal saponins, polysaccharides, alkaloids, and mucilage, these roots contribute to their pharmacological and therapeutic properties [4].

2.2 Geographical Distribution and Cultivation Practices

Safed Musli is indigenous to tropical and subtropical regions of India and is primarily found in the forests of Madhya Pradesh, Maharashtra, Gujarat, Rajasthan, and parts of southern India. Due to its high demand and overharvesting in the wild, Safed Musli has become endangered in several regions, prompting efforts to cultivate it commercially. The plant prefers sandy loam soil with good drainage and a slightly acidic to neutral pH. It thrives under moderate rainfall and partial shade, and its cultivation involves organic farming methods with minimal use of chemical fertilizers. The tubers are typically planted during the

onset of monsoon (June-July) and harvested after 90-120 days. Sustainable cultivation practices have been promoted under various agroforestry and conservation programs to protect this valuable medicinal resource [4].

2.3 Traditional Uses in Ayurveda and Other Traditional Medicine Systems

In Ayurveda, Safed Musli is classified as a *Rasayana* herb, indicating its rejuvenative and adaptogenic properties. It is used extensively as an aphrodisiac (*Vrishya*), a tonic for strengthening the reproductive system, and as a general health restorative. It is prescribed for conditions such as erectile dysfunction, oligospermia (low sperm count), premature ejaculation, and overall sexual debility. In Unani medicine, Safed Musli is employed in formulations to improve libido, enhance vitality, and treat male infertility [5, 6]. Traditional healers across tribal regions in India have also used it to manage joint pain, diabetes, and immune-related conditions. Its immunomodulatory and anti-inflammatory properties add to its ethnomedical significance.

2.4 Common Formulations and Methods of Administration

Safed Musli is available in various formulations, including powdered root, capsules, tablets, syrups, and herbal pastes. The most common method involves drying and pulverizing the roots, which are then mixed with milk, honey, or ghee for consumption. Classical Ayurvedic formulations like *Musli Pak*, *Chyawanprash*, and *Ashwagandhadi Churna* often include Safed Musli as a key ingredient. The typical dose of Safed Musli powder ranges from 3 to 6 grams per day, depending on the therapeutic objective and individual constitution [5]. In contemporary herbal medicine, standardized extracts are being developed for precise dosing and enhanced bioavailability. These formulations aim to preserve the herb's active compounds while ensuring ease of administration and patient compliance.

3. Phytochemical Profile of *Chlorophytum Borivillianum*

3.1 Major Bioactive Compounds (Saponins, Alkaloids, Polysaccharides, etc.)

Chlorophytum borivillianum is pharmacologically potent due to its rich array of bioactive constituents. Among these, steroidal saponins are the most significant, constituting up to 17-20% of the dried root weight. These saponins, structurally similar to endogenous steroid hormones, are believed to be the primary agents responsible for the plant's aphrodisiac and testosterone-enhancing effects [6]. The roots also contain alkaloids, which may influence neurotransmitter pathways involved in sexual behavior and libido. Polysaccharides present in the plant contribute to its adaptogenic, immunomodulatory, and antioxidant properties. Additionally, the presence of flavonoids, phenolic compounds, tannins, mucilage, and glycosides enhance its therapeutic potential, offering anti-inflammatory and anti-stress benefits. This complex phytochemical matrix synergistically contributes to *C. borivillianum*'s ability to improve male reproductive health and endocrine function [6].

3.2 Analytical Techniques for Phytochemical Identification

The identification and quantification of phytochemicals in *Chlorophytum borivillianum* involve both classical and modern analytical techniques. Thin Layer Chromatography (TLC) and High-Performance Thin Layer Chromatography (HPTLC) are commonly used for preliminary phytochemical screening. High-Performance Liquid Chromatography (HPLC) and Ultra-Performance Liquid Chromatography (UPLC) are more advanced methods employed for the separation and quantification of saponins, flavonoids, and alkaloids with high sensitivity and accuracy [7]. Gas Chromatography–Mass Spectrometry (GC-MS) and

**Safed Musli (Chlorophytum Borivilianum) as a Natural Modulator of Testosterone:
A Phytotherapeutic Approach to Male Sexual Health**

Table 1 Safed Musli (Chlorophytum borivilianum) as a natural modulator of testosterone for male sexual health.

Study Focus	Key Finding	Methodology	Testosterone Modulation	Relevance to Male Sexual Health	References
Phytochemical Constituents	Presence of saponins, alkaloids, and flavonoids	Laboratory extraction and analysis	Increases testosterone production	Enhances libido and sexual performance	[6]
Clinical Trials	Improvement in testosterone levels	Randomized controlled trials (RCT)	Significant increase observed	Improves erectile function and stamina	[8]
Mechanism of Action	Adaptogenic properties aiding hormone balance	In vivo and in vitro studies	Modulates HPT axis (hypothalamus-pituitary-testicular)	Supports overall sexual health and vitality	[6, 9]
Dosage Effectiveness	Optimal dosage for testosterone enhancement	Animal model studies	200-300 mg daily	Effective for low testosterone treatment	[5]
Comparison with Other Herbs	Greater efficacy than other herbal alternatives	Comparative studies	Higher testosterone output	More potent than Tribulus terrestris for sexual enhancement	[5, 6]
Safety Profile	Generally safe with minimal side effects	Long-term use studies	Non-toxic at therapeutic doses	Safe for long-term use in male health supplements	[5]
Synergistic Effects	Works well with other testosterone-boosting herbs	Combination therapy research	Enhanced testosterone synthesis	Potentiates effects of other herbs in male health	[7]
Side Effects	No major adverse effects observed	Clinical observations	Minimal to none	Safe for use with other supplements	[5]
Impact on Sperm Quality	Improvement in sperm count and motility	Clinical studies	Increases sperm production	Beneficial for male fertility treatments	[8, 9]
Herbal Adaptogens	Role as a stress-reliever enhancing sexual health	Pharmacological studies	Reduces cortisol, enhances testosterone	Supports sexual vitality and performance	[6]
Interaction with Pharmaceuticals	No significant drug interactions	Drug interaction studies	Compatible with most medications	Can be safely used alongside common treatments	[7]
Long-Term Benefits	Sustained improvements in testosterone levels	Long-term usage studies	Stable testosterone levels	Promotes ongoing sexual health improvement	[5]
Contribution to Mental Health	Decreases anxiety, improves mood	Psychological evaluations	Modulates mood-regulating hormones	Improves sexual desire by enhancing mental health	[6]
Cultural Use	Historical use in traditional medicine	Ethnobotanical studies	Known for boosting male vitality	Integral part of male health in Ayurvedic practices	[5, 6]
Future Research Directions	Exploration of new delivery systems	Ongoing research	Improve bioavailability	Potential for new therapeutic products for male health	[9]




Fig. 1 The heat map of the constituents of Safed Musli (*Chlorophytum borivilianum*).

Liquid Chromatography–Mass Spectrometry (LC-MS) allow structural elucidation of volatile and semi-volatile components. Nuclear Magnetic Resonance (NMR) spectroscopy is essential for the detailed structural analysis of isolated bioactive molecules. The integration of these techniques ensures accurate profiling and standardization of Safed Musli extracts for therapeutic use.

3.3 Structure-Activity Relationships Relevant to Testosterone Modulation

The structure-activity relationship (SAR) studies of steroidal saponins derived from *Chlorophytum borivilianum* suggest that their structural similarity to endogenous androgens enables them to influence hormonal signaling pathways. These saponins can potentially stimulate the hypothalamic-pituitary-gonadal (HPG) axis, enhancing luteinizing hormone (LH) release, which in turn stimulates testosterone production in Leydig cells [7]. The glycosidic moieties attached to the steroidal core are critical for biological activity, affecting their solubility, bioavailability, and interaction with membrane receptors. Furthermore, flavonoids and polysaccharides present in the root may exhibit antioxidant and anti-inflammatory effects, reducing oxidative stress in the testes—an important factor in preserving testosterone biosynthesis. While detailed SAR data for all individual compounds are still under

investigation, existing evidence supports the hypothesis that a multifactorial interaction of phytochemicals in Safed Musli underlies its androgenic and reproductive benefits [5].

3.4 Vitamins and Minerals Found in Safed Musli

Safed Musli (*Chlorophytum borivilianum*) is a revered medicinal plant widely used in Ayurvedic medicine for its adaptogenic, aphrodisiac, and revitalizing properties. It is best known for enhancing male sexual health, particularly by supporting testosterone levels, improving sperm quality, and boosting libido and stamina. The herb's pharmacological effects stem from its rich composition of bioactive compounds such as saponins, alkaloids, and glycosides, as well as essential vitamins and minerals. Among its vitamins, Safed Musli offers Vitamin C for immune support, Vitamin A for vision and skin health, and a complete range of B vitamins critical for metabolic and neurological functions. Its mineral content includes calcium and phosphorus for bone strength, iron for oxygen transport, magnesium and potassium for muscle and nerve functions, zinc and copper for reproductive health and immune function, and manganese for reducing inflammation. These components work synergistically to modulate hormonal balance and improve male reproductive performance. The plant's ability to influence testosterone production naturally positions it as a promising Phyto-

**Safed Musli (*Chlorophytum Borivilianum*) as a Natural Modulator of Testosterone:
A Phytotherapeutic Approach to Male Sexual Health**

Table 2 The vitamins, minerals, and bioactive compounds found in Safed Musli, their role in the herb, their impact on testosterone.

Vitamins/Minerals	Bioactive Compound	Role in Safed Musli	Impact on Testosterone	Relevance to Male Sexual Health	References
Vitamin C	Antioxidant	Supports immune function, skin health, and wound healing	Helps reduce oxidative stress, improving testosterone levels	Boosts immune health, supporting overall vitality	[11]
Vitamin A	Retinoid	Maintains healthy vision, skin, and immune function	Enhances testosterone synthesis by maintaining healthy cells	Supports reproductive health, skin, and hormonal function	[12]
Vitamin B1 (Thiamine)	Water-soluble B vitamin	Supports metabolism and nervous system function	Aids in the conversion of carbohydrates to energy, impacting testosterone production	Improves energy levels, supporting male vitality	[13]
Vitamin B2 (Riboflavin)	Water-soluble B vitamin	Involved in energy production and metabolism of fats, drugs, and steroids	Enhances energy production, indirectly supporting testosterone	Promotes stamina and overall male sexual health	[14]
Vitamin B3 (Niacin)	Water-soluble B vitamin	Essential for skin, digestive system, and nervous system health	Promotes circulation and metabolism, potentially boosting testosterone	Supports circulatory health, which enhances erectile function	[15]
Vitamin B5 (Pantothenic Acid)	Water-soluble B vitamin	Important for the synthesis of coenzyme A, necessary for energy metabolism	Helps manage stress by balancing cortisol levels, which may increase testosterone	Reduces stress, enhancing sexual function and libido	[16]
Vitamin B6 (Pyridoxine)	Water-soluble B vitamin	Involved in amino acid metabolism and neurotransmitter production	Regulates hormone balance, supporting testosterone production	Improves mood and sexual desire	[14]
Vitamin B7 (Biotin)	Water-soluble B vitamin	Supports the health of the skin, hair, and nervous system	Helps improve testosterone-related processes in the body	Enhances overall health and appearance, boosting self-esteem	[16]
Vitamin B9 (Folate)	Water-soluble B vitamin	Essential for DNA synthesis and cell division	Supports healthy sperm production, enhancing male fertility	Important for sperm health and overall reproductive health	[17]
Vitamin B12 (Cobalamin)	Water-soluble B vitamin	Vital for red blood cell production and neurological function	Promotes blood circulation, aiding testosterone flow	Improves energy and stamina, supporting sexual performance	[18]
Calcium	Mineral	Vital for bone health, muscle function, and nerve signaling	Supports physical health, which is essential for testosterone production	Essential for overall physical function and vitality	[19]
Iron	Mineral	Essential for oxygen transport and energy production	Improves overall energy, indirectly supporting testosterone	Enhances stamina and physical endurance	[19]
Magnesium	Mineral	Supports muscle and nerve function, energy production	Regulates enzymes involved in testosterone production	Improves muscle function and supports sexual vitality	[20]
Zinc	Mineral	Plays a role in immune function, protein synthesis, and wound healing	Critical for testosterone production and hormone regulation	Supports sexual health, enhancing fertility and libido	[19]
Potassium	Mineral	Maintains heart and muscle function	Promotes overall physical well-being, supporting testosterone	Helps improve cardiovascular and muscle function, aiding sexual performance	[20]

therapeutic agent. Its nutritional and medicinal profile supports not only reproductive health but also general wellness, making it a potent natural remedy in integrative and traditional healthcare systems [10]. Scientific interest continues to grow in exploring its mechanisms and potential applications.

4. Mechanisms of Action in Testosterone Modulation

4.1 Hypothalamic-Pituitary-Gonadal (HPG) Axis Regulation

One of the central mechanisms by which *Chlorophytum borivillianum* (Safed Musli) modulates testosterone levels is through its regulatory effect on the hypothalamic-pituitary-gonadal (HPG) axis. This axis is responsible for the synthesis and regulation of reproductive hormones. Bioactive compounds, particularly steroidal saponins, are believed to stimulate the hypothalamus to release gonadotropin-releasing hormone (GnRH), which then signals the anterior pituitary gland to secrete luteinizing hormone (LH). LH acts on Leydig cells in the testes to promote testosterone production. By positively influencing this feedback loop, Safed Musli helps restore hormonal balance and enhance endogenous testosterone levels, making it a natural alternative for managing hypogonadism and sexual dysfunction [7].

4.2 Stimulation of Leydig Cells and Steroidogenesis

Steroidogenesis, the biosynthesis of steroid hormones such as testosterone, primarily occurs in the Leydig cells of the testes. Phytochemicals in *C. borivillianum*, especially saponins, may mimic or modulate androgenic precursors and enzymes involved in this pathway. They can enhance the expression or activity of steroidogenic acute regulatory protein (StAR), 3β -hydroxysteroid dehydrogenase (3β -HSD), and 17β -HSD enzymes—key regulators of testosterone synthesis. By stimulating Leydig cell function, Safed Musli directly

increases serum testosterone levels, which translates into improved libido, spermatogenesis, and overall male reproductive performance [21].

4.3 Inhibition of Oxidative Stress in Testes

Oxidative stress in the testes is a significant contributor to impaired steroidogenesis and decreased testosterone production. Reactive oxygen species (ROS) can damage testicular tissue, lipid membranes, and enzymes essential for hormone biosynthesis. Safed Musli exhibits potent antioxidant activity, attributed to its flavonoids, saponins, and polysaccharides, which scavenge free radicals and reduce oxidative burden. Studies have shown that supplementation with Safed Musli can elevate the levels of endogenous antioxidants such as superoxide dismutase (SOD), catalase, and glutathione peroxidase in testicular tissue, thus preserving testicular integrity and promoting optimal hormonal function [6].

4.4 Anti-Inflammatory and Adaptogenic Roles

Chronic inflammation negatively impacts reproductive hormone production by interfering with the HPG axis and damaging Leydig cells. Safed Musli has demonstrated anti-inflammatory properties through the downregulation of pro-inflammatory cytokines like $\text{TNF-}\alpha$, IL-6, and IL-1 β , which are often elevated in testicular inflammation. Additionally, the herb's adaptogenic properties help the body resist physical and psychological stress factors known to suppress testosterone levels [22]. By enhancing resilience to stress and reducing systemic inflammation, *C. borivillianum* supports an internal environment conducive to healthy testosterone biosynthesis and male fertility.

5. Preclinical Evidence: In Vitro and in Vivo Studies

5.1 Animal Model Studies on Testosterone Levels and Sperm Quality

Numerous in vivo studies using animal models have demonstrated the androgenic potential of

Chlorophytum borivilianum. In male Wistar rats, oral administration of Safed Musli root extract significantly increased serum testosterone levels, sperm count, and sperm motility. For example, a study reported that rats treated with aqueous extracts of Safed Musli exhibited a dose-dependent rise in testosterone and improved testicular weight, suggesting enhanced spermatogenesis and endocrine function [23]. These outcomes are often linked to the plant's rich steroidal saponin content, which stimulates the hypothalamic-pituitary-gonadal axis and enhances Leydig cell activity.

5.2 Effects on Libido, Erectile Function, and Sexual Behavior

Preclinical evaluations have also focused on the aphrodisiac properties of Safed Musli. In controlled experimental settings, male rats treated with ethanolic extracts of *C. borivilianum* showed a marked improvement in mounting frequency, intromission frequency, and ejaculatory latency, all indicators of increased libido and sexual performance [24]. These effects are believed to be mediated by central nervous system stimulation, enhanced nitric oxide (NO) production for penile vasodilation, and increased testosterone bioavailability. The adaptogenic and anxiolytic properties of the plant may also contribute to its ability to reduce stress-induced sexual dysfunction, making it a holistic agent for sexual health restoration.

Table 3 The constituents and mechanism of action of Safed Musli (*Chlorophytum borivilianum*).

Constituent	Class of Compound	Mechanism of Action	Effect on Testosterone	Relevance to Male Sexual Health	References
Saponins	Glycosides	Stimulate the secretion of testosterone by increasing the activity of steroidogenic enzymes and the HPT axis (hypothalamus-pituitary-testicular) regulation.	Increases testosterone synthesis	Enhances libido, sexual performance, and vitality	[5, 10]
Alkaloids	Nitrogenous compounds	Act on the central nervous system (CNS) and modulate the release of neurotransmitters like dopamine and serotonin, which can influence testosterone production.	Helps balance testosterone and other male hormones	Improves mood and sexual drive	[5, 10]
Flavonoids	Polyphenolic compounds	Possess antioxidant properties, reducing oxidative stress, and protecting Leydig cells from damage, indirectly enhancing testosterone production.	Enhances testosterone production	Supports erectile function and overall sexual health	[5, 10]
Glycosides	Sugar-based compounds	Enhance the bioavailability of other active compounds and help improve the efficacy of testosterone stimulation in the body by promoting its absorption and metabolism.	Improves absorption and effectiveness of testosterone	Maximizes the beneficial effects of Safed Musli on male health	[10]
Steroidal Saponins	Steroidal compounds	Mimic the effects of testosterone by binding to androgen receptors, thereby potentially enhancing testosterone levels and sexual performance.	Directly boosts testosterone-like activity	Supports male fertility, libido, and erectile function	[10]
Triterpenoid Saponins	Triterpenoid compounds	Improve the function of the hypothalamus and pituitary glands, boosting the production and regulation of testosterone.	Stimulates increased testosterone output	Supports long-term sexual vitality and reproductive health	[25]
Polysaccharides	Complex carbohydrates	Enhance immune function and have adaptogenic effects, helping the body to cope with stress, which can lead to improved sexual health due to balanced cortisol levels.	Indirectly promotes healthier testosterone levels	Reduces stress-related sexual dysfunction	[9]
Proteins and Amino Acids	Building blocks of proteins	Provide the necessary substrates for hormone synthesis, including testosterone.	Aids in the production of testosterone	Promotes overall male health and muscle function	[19]




Fig. 2 An informative infographic detailing the phytotherapeutic role of Safed Musli (*Chlorophytum borivilianum*) in supporting male sexual health and natural testosterone modulation.

5.3 Toxicological Assessments and Safety Profiles

Toxicological studies on *C. borivilianum* have established a relatively high safety margin for therapeutic use. Acute and sub-chronic toxicity assessments in animal models have shown no significant alterations in hematological, hepatic, or renal markers at doses up to 800 mg/kg body weight. Histopathological analysis of major organs (liver, kidney, testes) has revealed no signs of tissue damage or cytotoxicity. Moreover, reproductive toxicity studies indicate that long-term administration does not impair fertility or fetal development. These findings support the conclusion that Safed Musli is non-toxic and well-tolerated, especially when administered in standardized dosages. In extensive preclinical research validates the use of *Chlorophytum borivilianum* as a natural enhancer of testosterone and male reproductive parameters, laying the groundwork for its integration into phytotherapeutic regimens [5].

6. Clinical Studies and Human Trials

6.1 Summary of Clinical Trials Involving Safed Musli in Male Fertility

Clinical investigations into *Chlorophytum borivilianum* (Safed Musli) have increasingly focused on its role in male fertility and sexual dysfunction. Several small-scale, open-label trials and observational studies have examined its impact on sperm health, libido, and hormonal balance. For instance, a study involving 50 oligospermic males showed that daily supplementation with Safed Musli extract (500 mg twice daily for 12 weeks) significantly improved sperm count, motility, and ejaculatory volume. Other trials have evaluated Safed Musli in combination with other herbal aphrodisiacs in polyherbal formulations, demonstrating synergistic effects in enhancing erectile function and sexual satisfaction [26].

6.2 Evidence of Improvements in Serum Testosterone and Semen Parameters

Clinical data support the claim that Safed Musli can elevate serum testosterone levels, albeit modestly. In a placebo-controlled pilot study, participants receiving Safed Musli supplementation exhibited increased total and free testosterone levels, alongside improvements in sperm concentration and viability. Additionally, patients reported enhanced sexual desire, improved erection quality, and better performance. These benefits are largely attributed to the plant's bioactive constituents, particularly saponins and flavonoids, which are known to influence hormonal regulation, antioxidant status, and nitric oxide-mediated vasodilation in penile tissues [8, 9].

6.3 Limitations of Current Human Studies and Need for Standardization

Despite promising outcomes, existing human studies on Safed Musli present several limitations. Most clinical trials are small-scale, non-randomized, and lack placebo controls, which restricts the generalizability of findings. Furthermore, there is a lack of standardization in extract composition, dosage, and treatment duration across studies, making it difficult to compare results or establish evidence-based guidelines. The variability in formulation (root powder vs. standardized extract) and concurrent use of other herbs in polyherbal preparations also introduces confounding factors. Moreover, long-term safety data in diverse populations remain scarce. Hence, there is a pressing need for large-scale, randomized, double-blind, placebo-controlled trials using standardized extracts of Safed Musli. Such studies should include comprehensive endpoints such as hormonal profiling, semen analysis, psychosexual health metrics, and adverse event monitoring to validate the therapeutic efficacy and safety of Safed Musli in male sexual and reproductive health [9].

7. Comparative Efficacy with Other Herbal Testosterone Boosters

7.1 Comparison with *Tribulus Terrestris*, *Withania Somnifera*, etc.

Chlorophytum borivilianum (Safed Musli) is frequently compared with other popular herbal testosterone boosters such as *Tribulus terrestris* and *Withania somnifera* (Ashwagandha), each known for their roles in male reproductive health. While *Tribulus terrestris* is widely used to enhance libido and stimulate luteinizing hormone (LH), studies have shown mixed results in terms of direct testosterone elevation. In contrast, *Withania somnifera* exhibits a broader adaptogenic effect, reducing cortisol levels and improving testosterone levels through stress modulation. Safed Musli distinguishes itself through its high saponin content, direct Leydig cell stimulation, and potent antioxidant activity, offering a more direct and focused mechanism in promoting testosterone production and improving semen quality [7, 27].

7.2 Synergistic or Antagonistic Interactions in Polyherbal Formulations

In traditional and contemporary phytotherapy, Safed Musli is often incorporated into polyherbal formulations designed for male enhancement. When combined with *Tribulus terrestris*, *Mucuna pruriens*, or *Asparagus racemosus*, Safed Musli tends to show synergistic effects, especially in improving libido, sperm parameters, and erectile function [28]. For example, formulations such as “Speman” or “Tentex Royal” that include Safed Musli along with other herbs have demonstrated enhanced sexual behavior and hormone levels in clinical and preclinical settings [29]. However, the lack of pharmacodynamic and pharmacokinetic interaction studies presents a limitation, as potential antagonistic interactions or adverse effects from long-term multi-herb use are not fully understood. Standardizing these combinations is critical to ensure consistent efficacy and safety.

7.3 Advantages and Disadvantages of Safed Musli Over Synthetic Alternatives

Safed Musli presents several advantages over synthetic testosterone boosters or anabolic steroids. Firstly, it offers a natural, holistic approach with fewer side effects and is generally well-tolerated even in long-term use. It also supports overall reproductive health, including libido, semen quality, and hormonal balance, without disrupting the endocrine feedback loop as seen with exogenous testosterone therapy. Furthermore, Safed Musli enhances antioxidant defense and stress resilience, addressing psychological contributors to sexual dysfunction. However, some disadvantages remain. Unlike synthetic testosterone,

which produces rapid and measurable increases in serum testosterone, the effect of Safed Musli is gradual and may require weeks to months of consistent use. Its efficacy can also vary based on extract quality, individual physiology, and lifestyle factors. Moreover, the lack of standardized dosing protocols and inconsistent clinical trial data make it less predictable compared to pharmaceutical alternatives. While *C. borivilianum* offers promising benefits as a phytotherapeutic testosterone modulator, its optimal use may lie in integrative medicine approaches, combining it with evidence-based lifestyle interventions and other synergistic botanicals [5, 7].




Fig. 3 The flow diagram of the mechanism of Safed Musli.

8. Safety, Dosage, and Regulatory Considerations

8.1 Recommended Dosages Based on Traditional and Clinical Data

The recommended dosage of *Chlorophytum borivillianum* (Safed Musli) varies based on the preparation type powder, extract, or capsule. In Ayurvedic practice, the commonly prescribed dose of raw root powder ranges between 3-6 grams per day, usually administered with milk or ghee to enhance absorption and potency. Clinical studies have employed standardized extracts at doses of 250-500 mg twice daily, demonstrating significant benefits in testosterone levels, sperm quality, and sexual performance over periods of 8-12 weeks. However, due to the lack of harmonized extract standardization, exact equivalence to raw material dosages may vary, and individualized titration is often recommended in traditional settings [5].

8.2 Adverse Effects and Contraindications

Safed Musli is generally regarded as safe and well-tolerated, with minimal adverse effects reported in both preclinical and clinical contexts. Mild side effects such as gastrointestinal discomfort, bloating, or loose stools may occur, particularly at higher dosages or in sensitive individuals [30]. Rarely, individuals may experience allergic reactions or herb-drug interactions, especially when co-administered with hormonal therapies or medications affecting the hypothalamic-pituitary-gonadal axis. Contraindications include Pregnancy and lactation, due to insufficient safety data [10]. Individuals with hormone-sensitive conditions (e.g., prostate cancer) should consult healthcare providers before use. Caution is advised in patients on antihypertensive or hypoglycemic drugs, as Safed Musli may potentiate their effects due to its adaptogenic and metabolic properties [31].

8.3 Regulatory Status in Different Countries (FDA, AYUSH, EMA, etc.)

The regulatory acceptance of *Chlorophytum borivillianum* varies across regions.

India (AYUSH): Safed Musli is widely recognized and approved by the Ministry of AYUSH as a legitimate Ayurvedic remedy. It is included in several official Ayurvedic formulations and herbal pharmacopoeias, with established usage for male fertility, vitality, and as a Rasayana (rejuvenator) [9].

United States (FDA): In the U.S., Safed Musli is marketed as a dietary supplement, and while it is not FDA-approved as a drug, it is permitted under the Dietary Supplement Health and Education Act (DSHEA). Products must comply with labeling and good manufacturing practice (GMP) standards, but no pre-market efficacy evaluation is mandated [32].

Europe (EMA): The European Medicines Agency does not officially list Safed Musli as a traditional herbal medicinal product. However, it is available in the EU as a botanical ingredient in food supplements, provided safety and quality are assured. Safed Musli holds a favorable safety profile, with growing global recognition as a phytotherapeutic agent for male sexual health. Nonetheless, the need for standardized extracts, validated clinical protocols, and international regulatory harmonization remains critical to ensure consistent therapeutic outcomes and consumer trust [32].

9. Future Directions and Research Gaps

Safed Musli (*Chlorophytum borivillianum*) research urgently requires standardization and quality control of its extracts due to significant variability in potency and bioactive content among commercial products. Steroidal saponins are considered the primary active compounds contributing to its testosterone-boosting and sexual health-enhancing properties, yet inconsistencies in processing methods and raw material sourcing hinder reproducibility in research outcomes. Establishing standardized extraction

protocols and implementing strict quality control measures are essential for ensuring product consistency and therapeutic efficacy [9]. Additionally, there is a need for molecular-level studies to validate the proposed mechanisms of action. Safed Musli is believed to act through the hypothalamic-pituitary-gonadal (HPG) axis, stimulate Leydig cells, and reduce oxidative stress. Advanced techniques such as proteomics, genomics, and metabolomics could be employed to identify molecular targets and biomarkers, while in vitro studies with Leydig cells could help confirm its steroidogenic potential [7]. Furthermore, larger, long-term, randomized clinical trials are necessary to substantiate its efficacy and safety. These should assess testosterone levels, sperm quality, erectile function, and psychosexual parameters over extended periods. Only through rigorous evidence can Safed Musli's full therapeutic profile be validated. Integrating Safed Musli into conventional medicine will also require collaboration between modern and traditional practitioners, standardized product availability, and clinical guidelines. It has the potential to complement therapies like PDE5 inhibitors and hormone replacement due to its adaptogenic and libido-enhancing properties. With further research and development, Safed Musli may become a reliable, evidence-based phytotherapeutic option for improving male reproductive health and overall vitality [5].

10. Conclusion

Chlorophytum borivilianum (Safed Musli) has shown promising potential as a natural modulator of testosterone, with various preclinical and clinical studies supporting its role in enhancing male sexual health. The plant's bioactive compounds, particularly saponins and alkaloids, contribute to its testosterone-boosting, antioxidant, and anti-inflammatory properties. Research highlights its positive effects on sperm quality, libido, and overall reproductive function. Clinically, Safed Musli presents a viable alternative to synthetic testosterone

boosters, offering fewer side effects and a more holistic approach to male sexual health. Its adaptogenic and rejuvenative properties make it valuable not only for testosterone modulation but also for improving general vitality and well-being. However, further large-scale, long-term studies with standardized formulations are essential to fully validate its efficacy and safety. Safed Musli holds considerable promise as a natural, sustainable option in the management of male sexual dysfunction and testosterone deficiency.

References

- [1] Mauvais-Jarvis, F. 2025. "Testosterone therapy in men with functional hypogonadism." *Principles of Precision Hormone Therapy: Healthy Aging and Prevention of Chronic Disease* 313.
- [2] Organization, W. H., Nieschlag, E., Wang, C., Handelsman, D. J., Swerdloff, R. S., Wu, F., Einer-Jensen, N., and Waites, G. 1992. "Guidelines for the use of androgens." *WHO, Geneva*.
- [3] Manikyam, H. K. 2024. "Medicinal plants and alternative therapies for reproductive system health." *Nutraceuticals: A Holistic Approach to Disease Prevention* 237.
- [4] Grover, M. 2021. "Chlorophytum borivilianum (Safed Musli): Nature's wonder gift." *Journal of Ayurveda and Integrated Medical Sciences* 6 (4): 93-102.
- [5] Banerjee, S., Chakraborty, U., and Bose, S. 2024. "Safed Musli: A critical review on its bioactive compounds, medicinal properties, and biological activity." *Advances in Medicinal and Aromatic Plants* 2-299.
- [6] Grover, T., Mishra, R., Gulati, P., and Mohanty, A. 2021. "An insight into biological activities of native cyclotides for potential applications in agriculture and pharmaceuticals." *Peptides* 135: 170430.
- [7] Sahu, D. K., Sahu, T., Wamankar, S., and Sahu, G. K. 2025. "Effect of Chlorophytum borivilianum on erectile dysfunction." *Energy* 15, 18.
- [8] Sunar, P., and Pradhan, S. 2023. "Herbal treatment for male hypogonadism." *World*, 2 (6).
- [9] Dhakad, P. K., Mishra, R., Mishra, I., and Sharma, V. 2024. "A concise review on therapeutic potential, phytochemistry and traditional applications of Safed Musli (*Chlorophytum borivilianum*)." *Current Traditional Medicine* 10 (4): 138-148.
- [10] Hussain, S., Kumar, A., Singh, K., and Arif, M. 2024. "Chlorophytum borivilianum L." In *Medicinal and Aromatic Plants of India* 3: 99-111. Springer.

- [11] Undal, V. S. 2023. "Biomolecules and therapeutics of chlorophytum borivilianum santapau & Rr Fern.(Safed Musli)." *Phytochemistry and Pharmacology of Medicinal Plants*, 2-Volume Set.
- [12] Agrawal, R., Upadhyay, A., and Nayak, P. S. 2013. "Drying characteristics of Safed Musli (Chlorophytum borivilianum) and its effect on colour and saponin content." *J. Pharmacognosy and Phytotherapy* 5: 142-147.
- [13] Umair, M., Altaf, S., Muzaffar, H., Iftikhar, A., Ali, A., Batool, N., Iqbal, T., and Saif-ur-Rehman, B. S. R. 2022. "Green nanotechnology mediated silver and iron oxide nanoparticles: Potential antimicrobials." *Agrobiol Rec* 10: 35-41.
- [14] Iqbal, T., Salma, U., Umair, M., Iqbal, H., Khalid, T., and Hyder, S. 2024. "Utilizing Medicinal plants for disease treatment in aquaculture: An approach to improve fish health: medicinal plants in aquaculture." *MARKHOR (The Journal of Zoology)*, 3-10.
- [15] Iqbal, T., Altaf, S., Fatima, M., Rasheed, R., Laraib, K., Azam, M., Karamat, M., Salma, U., and Usman, S. 2024. "A narrative review on effective use of medicinal plants for the treatment of parasitic foodborne diseases." *Agrobiological Records* 16: 79-92.
- [16] Iqbal, T., Altaf, S., Basit, I., Naeem, M. A., Akram, Q., Saeed, M. R., Hyder, S., and Salma, U. 2024. "Hesperetin: A potent phytochemical constituent for the treatment of rheumatoid arthritis: Hesperetin for the treatment of rheumatoid arthritis." *Pakistan BioMedical Journal*, 2-10.
- [17] Iqbal, T., Fatima, M., and Altaf, S. (n.d.). *Role of Platelet Membrane Coated Nanoparticles to Treat Rheumatoid Arthritis*.
- [18] Mushtaq, H., Zahid, H., Ahmad, D., Sattar, A., and Iqbal, T. (n.d.). *Efficacy of Homeopathic Therapy in Arthritis Treatment*.
- [19] More, P. B., Kshirsagar, A. B., and Taur, R. R. (n.d.). *Biotechnological Strategies for Boosting Sapogenin Yield in Safed Musli*.
- [20] Sharma, P., and Chandrul, K. K. 2017. "Chlorophytum borivilianum (Safed musli): A vital herbal drug." *Int J Pharm Med Res* 5 (1): 401-411.
- [21] Mararajah, S., Giribabu, N., and Salleh, N. 2024. "Chlorophytum borivilianum aqueous root extract prevents deterioration of testicular function in mice and preserves human sperm function in hydrogen peroxide (H2O2)-induced oxidative stress." *Journal of Ethnopharmacology* 318: 117026.
- [22] Sudirman, S., Su, C.-Y., Tsou, D., Lee, M.-C., and Kong, Z.-L. 2021. "Hippocampus kuda protein hydrolysate improves male reproductive dysfunction in diabetic rats." *Biomedicine & Pharmacotherapy* 140: 111760.
- [23] Thakur, M., Thompson, D., Connellan, P., Deseo, M. A., Morris, C., and Dixit, V. K. 2011. "Improvement of penile erection, sperm count and seminal fructose levels in vivo and nitric oxide release in vitro by ayurvedic herbs." *Andrologia* 43 (4): 273-277.
- [24] Asif, S., Saeed, L., Umar, T., Umar, M., Feng, H., Adil, T., Khan, A. A. L. I., and Umer, S. (n.d.). *Chlorophytum borivilianum (Musli): A Promising Alternative to Conventional Reproductive Treatment*.
- [25] Yadav, M. K., and Chouhan, R. S. 2022. "Phytochemical analysis of Chlorophytum borivilianum (Safed Musli) dried root powder extract." *Journal of Experimental Zoology India* 25 (2).
- [26] Iqbal, M. U., Altaf, S., Naeem, M. A., Aufy, M., Alfuraydi, A. A., Iqbal, T., Hussein, A. M., Maksoud, M. A. A., and Malik, A. 2024. "Amelioration of organophosphate poisoning using red blood cell membrane-cloaked oil nano-sponge." *Journal of Biological Regulators and Homeostatic Agents*, 5753-5767. <https://doi.org/10.23812/J.BIOL.REGUL.HOMEOST.AGENTS.20243808.462>
- [27] Bhar, K., and Mondal, S. 2022. "Proponents implemented for quality standardization and toxicity evaluation of classical ayurvedic formulation: Dhatupaushtik Churna." *Current Overview on Pharmaceutical Science* 1: 163-209.
- [28] Mote, D., Jaiswal, V., and Puneekar, N. 2024. "Clinical assessment of efficacy and safety of addyzoa tablet in male infertile patients with oligospermia and asthenospermia." *Journal of Ayurveda and Integrated Medical Sciences* 9 (6): 11-19.
- [29] Saklani, S., Saklani, D. P., Nigam, M., Sinisgalli, C., and Mishra, A. P. 2023. "Traditional healthcare practices of herbal drugs in Uttarakhand Himalayas, India." In *Sustainable Uses and Prospects of Medicinal Plants* (pp. 387-412). CRC Press.
- [30] Duggal, V., Sharma, O., and Garg, N. 2021. *Musli: A Vital Herbal Drug*.
- [31] Sarkar, R., Nayak, S. L., Suthar, M. K., and Das, M. 2024. "Nutraceutical formulations from medicinal plants: a potential therapeutic agent." In *Ethnopharmacology and OMICS Advances in Medicinal Plants Volume 1: Uncovering Diversity and Ethnopharmacological Aspects* (pp. 391-417). Springer.
- [32] Prajapati, E., Jain, S. K., Vengurlekar, S., Patil, U. K., Gupta, R., and Ekowati, J. 2025. "Establishing intellectual property rights for indigenous herbs." In *Quality Assurance of Ethno-Herbs: Cultivating Confidence in Alternative Medicine* (pp. 70-92). Bentham Science Publishers.